

Adjustable Pitch Axial Inline Fans- MUA Series



MUA315 - 2000 Series

Fans from 315 - 2000mm


Common Applications

- All units are suitable for internal or external operation at any installed angle.

Features


- Case diameter 315 - 2000mm
- Airflow to 75,000 L/s
- Static Pressure to 1,500 Pa
- Installation ancillaries
- Speed control range
- Heavy gauge galvanised steel
- High temperature options
- Direct drive
- Dual Fan Contra-Rotating
- Dual Fan - Run & Standby
- Flame proof options

Order Code




MUA Series


2 Pole



4 Pole



6 Pole




Adjustable Pitch Axial Inline Fans- MUA Series

Technical Data

Pole	Speed r/s
2 Pole	48
4 Pole	24
6 Pole	16
8 Pole	12

Note: Contact CFM Airsystems for specifications notes.

8 Pole



Technical Data

Model	Motor Frame Size	A	B	C	D	E
MUA315	63-71	400	375	315	355	8
MUA400	71-100	400	480	400	447	8
MUA500	71-90	400	585	500	560	12
MUA500	100-132	600	585	500	560	12
MUA560	71-90	400	650	560	620	12
MUA560	100-132	600	650	560	620	12
MUA630	71-90	400	715	630	690	12
MUA630	100-132	600	715	630	690	12
MUA710	71-90	400	790	710	765	16
MUA710	100-132	600	790	710	765	16
MUA800	80-132	600	900	800	865	16
MUA800	160	800	900	800	865	16
MUA1000	90-132	600	1100	1000	1070	16
MUA1000	160-180	800	1100	1000	1070	16
MUA1000	200	1000	1100	1000	1070	16
MUA1120	100-180	800	1250	1120	1185	16
MUA1120	200-225	1000	1250	1120	1185	16
MUA1250	100-180	800	1380	1250	1320	20
MUA1250	200-225	1000	1380	1250	1320	20
MUA1250	250	1150	1380	1250	1320	20
MUA1400	160-180	800	1530	1400	1480	20
MUA1400	200-225	1000	1530	1400	1480	20
MUA1400	250-280	1150	1530	1400	1480	20
MUA1530	160-180	800	1630	1530	1580	24
MUA1530	200-225	1000	1630	1530	1580	24
MUA1530	250-280	1150	1630	1530	1580	24

Model	Motor Frame Size	A	B	C	D	E
MUA1600	132-180	800	1730	1600	1685	24
MUA1600	200-225	1000	1730	1600	1685	24
MUA1600	250-280	1150	1730	1600	1685	24
MUA1800	160-180	800	1930	1800	1890	24
MUA1800	200-225	1000	1930	1800	1890	24
MUA1800	250-280	1150	1930	1800	1890	24
MUA2000	180	800	2130	2000	2080	24
MUA2000	200-225	1000	2130	2000	2080	24
MUA2000	250-280	1150	2130	2000	2080	24

